

ARIZONA RADIATION REGULATORY AGENCY

ATTACHMENT TO ARRA-4 FOR THE REGISTRATION OF MEDICAL/DENTAL OR VETERINARIAN DIAGNOSTIC X-RAY SOURCE OF RADIATION

1. Facility Name and Address	2. Registration No. (if available)
	3. Date
4. Applicant Name (print)	Applicant Signature

5. MACHINE TYPE

Indicate type of Diagnostic X-ray

Radiographic	Bone Densitometer	Panographic
Radiographic / Fluoroscopic	C – Arm Fluoroscopic	Panographic / Cephalometric
Computerized Axial Tomographic	Intra Oral	Other

6. MACHINE SUB-TYPE (check all that apply):

Mobile	Stationary	Portable	Transportable
--------	------------	----------	---------------

7. EQUIPMENT INFORMATION

		Name of Manufacturer	Model Number	Serial Number	MAXIMUM KVP	MAXIMUM MA	Location of Unit
Control Panel							
HOUSING INFORMATION	Rad Tube #1						
	Rad Tube #2						
	Fluoro Tube #1 (or Rad Tube #3)						
	Fluoro Tube #2 (or Rad Tube #4)						

REPLACEMENT? (Y) (N) WHICH UNIT? _____ ADDITIONAL? (Y) (N)

SHIELDING INSTRUCTIONS & OTHER INFORMATION

(use additional pages if necessary)

- Excluding dental, podiatry, bone mineral densitometry and mammography units, a scale drawing of the facility, including construction material, and your calculations of the shielding needed to assure compliance with R12-1-408 and R12-1-416 of A.A.C. The calculations shall meet the standards specified in R12-1-603.C.2. & C.3.
- Provide specific instructions including any restrictions provided to the equipment operators.
- Please note that R12-1-604.B. requires each registrant to maintain for each x-ray machine:
 - Maximum rating of technique factors;
 - Aluminum equivalent filtration of the useful beam, including routine variations;
 - Records of surveys, calibrations, maintenance, modifications, and the names of persons who perform the service;
 - A copy of all correspondence with the agency relating to the x-ray machine.
- Please note that R12-1-206.D requires transferor provide to each registrant, the supplies and x-ray machine necessary to comply with the rules to the usage of the equipment.

RETAIN A COPY FOR YOUR RECORDS

RETURN TO:

ARIZONA RADIATION REGULATORY AGENCY
4814 SOUTH 40TH STREET
PHOENIX, AZ 85040

Phone: 602-255-4845

Fax: 602-437-0705